



Large-Scale Deployment Guide



PLEASE READ: SOFTWARE DEPLOYMENT CHANGES

MindManager Windows now uses server-based licensing. It is no longer possible to deploy MindManager Prepackaged with a license key. Please refer to your license certificate for your registration code to setup your administration panel. MindManager now requires users to sign in to the application with an email address and password. Please refer to the MindManager Help Documentation for additional information.



CONTENTS

Please read: software deployment changes	ii
Contents.....	iii
List of Tables	vi
About This Guide	vii
MindManager Support Help	vii
System Requirements for MindManager Installation	8
Understanding Deployment Strategies.....	9
Running the Standard Setup Manually or Automatically	9
Running the Admin Setup Manually or Automatically	9
Other Deployment Options	10
Deploying with Active Directory	10
Using System Management Software and a Custom Setup	10
What Gets Installed.....	11
MindManager Components.....	11
Library	12
Dictionaries	12
User Configuration Files	12
Shared System Software	13
Third-Party Software	13
ThirdPartyReadMe	15
Registry Keys	15
What Remains After Uninstallation	18
Remaining Files, Folders, and Software Components	18
Remaining Registry Keys.....	19
Using the Admin Setup.....	20
Required Software	21
Required Permissions and Privileges	21
Differences between the Standard and Admin Setups	22



- Installing MindManager: An Overview 22
 - Per-machine Setup 22
 - Per-user Setup 22
- Deploying with the Installation Wizard 24**
 - Starting the Installation 24
 - Customizing the Installation 25
 - Disabling Default Features..... 25
 - Changing the Default Installation Folder 26
 - Deploying User Data and the Library to a Server 26
 - Completing the Installation..... 28
- Deploying from the Command Line 30**
 - Configuring Installation Parameters from the Command Line 30
 - Configuring Features from the Command Line..... 31
 - Customizing the Installation with Setup.exe 31
 - Customizing the Installation with MSI 31
 - Configuring Functions from the Command Line 34
 - Deploying User Data and the Library 38
 - Deploying User Data and the Library from the Command Line 38
 - Deploying User Data from the Registry 39
 - Sample Setup Commands 40
 - Simple Installation 40
 - Silent Installation 40
 - Uninstallation..... 41
- Deploying with Active Directory 42**
- Administering MindManager 44**
 - Disabling Zapier 44
 - Managing Add-Ins..... 44
 - Registering or Unregistering Add-Ins from the Command Line 44
 - Managing Add-Ins from the Registry 44
 - The Registry Add-In List 45
 - Removing or Restoring Add-Ins from the Registry 45
 - Enabling or Disabling Add-Ins from the Registry 45
 - Managing Microsoft Office Add-Ins..... 45



Managing from the Registry	46
HKEY_LOCAL_MACHINE Settings	46
HKEY_CURRENT_USER Settings.....	47
Managing with Event Macros	47
MindManager Linker for SharePoint	49
Proxy Server Support.....	50
Enabling or Disabling “Treat UNC Paths as SharePoint Servers”	51



LIST OF TABLES

Table 1: Installation Requirements	8
Table 2: Configuration Files.....	12
Table 3: Location of Shared System Components	13
Table 4: Third-Party Software Overview	14
Table 5: Registry Key Overview	15
Table 6: Remaining Files, Folders, and Software components.....	18
Table 7: Remaining Registry Keys	19
Table 8: Configuring Installation Parameters from the Command Line.....	30
Table 9: Configuring Features with MSI from the Command Line.....	32
Table 10: Configuring Functions from the Command Line	34
Table 12: User Data Deployment Options	38
Table 13: Library Deployment Options	39
Table 14: User Data Registry Key Values	39
Table 15: Properties Editable in Properties Table	42
Table 16: HKEY_LOCAL_MACHINE Settings	46
Table 18: HKEY_CURRENT_USER Settings	47
Table 19: Event Macros	48
Table 20: HKEY_CURRENT_USER Settings	52
Table 21: HKEY_LOCAL_MACHINE Registration Values	52



ABOUT THIS GUIDE

Many customers have requested support for customized deployment of MindManager to large numbers of client machines. This document provides complete information about large-scale deployments.

Topics include:

- Running the standard setup manually or automatically
- Running the admin setup manually or automatically
- MindManager components
- Deploying using the installation wizard
- Deploying from the command line
- Deploying with Windows Active Directory (limited support)

Throughout this document, Add-ins specific to Windows 10 32-bit include “32” at the end of the Add-in name; those specific to 10 64-bit have “64” at the end of the Add-in name.

MindManager Support Help

For technical support with this product, go to <http://www.mindjet.com/support>. Here you will find links to the Knowledge Base articles, User Forums, and other online resources. You can also submit a support request for additional assistance.



SYSTEM REQUIREMENTS FOR MINDMANAGER INSTALLATION

Table 1: Installation Requirements

REQUIREMENTS	SUPPORTED OPERATING SYSTEMS	ADDITIONAL REQUIREMENTS TO USE CERTAIN FEATURES
<ul style="list-style-type: none">▪ IBM® or compatible Pentium® processor (1 GHz or greater)▪ 2GB RAM or greater▪ 830 MB disk space▪ SVGA (1024 x 768/16-bit color or greater)▪ Microsoft .NET 4.6 or higher	<ul style="list-style-type: none">▪ Microsoft® Windows® 10 32-bit and 64-bit <p>Large Scale Deployments</p> <ul style="list-style-type: none">▪ Microsoft Windows Server 2012 R2 64-bit and later	<ul style="list-style-type: none">▪ Microsoft Office Professional 2016 or 2013 (32-bit and 64-bit)▪ Microsoft Project® 2016 (32-bit and 64-bit)▪ Microsoft SharePoint 2013 or 2016 Enterprise, Standard and Foundation servers *▪ SharePoint Online▪ Internet Explorer 11.0 or greater▪ Broadband Internet Connection



UNDERSTANDING DEPLOYMENT STRATEGIES

This section provides an overview of different deployment strategies, including their basic technologies, advantages, limitations, and their level of support.

Running the Standard Setup Manually or Automatically

You can deploy MindManager on a machine-by-machine basis using the standard setup (**MindManager.exe**) or from a centrally accessible server. The standard setup is robust, interactive, and user-friendly, but does not support customized deployment.

Using the standard setup has these advantages:

- MindManager installs and operates properly on supported systems
- It requires no additional software or server resources
- Users with local administration privileges can manage the update process individually

And these disadvantages:

- Manual installation is time-consuming
- The installed software uses up disk space on each user's system
- Centralized administration becomes more difficult

Running the Admin Setup Manually or Automatically

The MindManager Admin setup provides more control over installation and administration. You can run the admin setup from a server manually, or via a log-on script. If you use Windows Active Directory, Group Policy, and IntelliMirror, you can install on groups of user systems.

Using the admin setup has these advantages:

- MindManager installs and operates properly on supported systems
- It requires no additional software or server resources
- You can customize installations on a per-group or per-user basis
- You can run the installation silently
- The installer is not cached on the client machine, reducing the required disk space

And these disadvantages:

- Access to the original installer is required for repair and other setup operations



Other Deployment Options

Deploying with Active Directory

This method is not yet fully supported. Due to the application architecture, MindManager only supports Computer-based Software installations via Active Directory. *User-based deployment is not supported.* Using a third-party tool such as Orca allows you to edit properties for deployment. For more information, see *Deploying with Active Directory*, page 42.

in MindManager. For more information, see *Deploying with Windows Server*, page **Error! Bookmark not defined.**

Using System Management Software and a Custom Setup

System management software, such as Microsoft System Management Server, enables you to centrally install and administer client machines. While you can deploy MindManager using such software, there is no specialized support for this in MindManager. This document supplies much of the information you will need if you choose to deploy in this way.

Using system management software has these advantages:

- You can deploy the software to many machines with one command
- You can create different setups for different groups of users
- Updating the software is simple

And these disadvantages:

- You must have system management software in place
- It takes time to create the custom setup
- The installed software uses up disk space on each user's system



WHAT GETS INSTALLED

The Admin setup installs:

- Required program files
- Configurable components
- Shortcuts and Start Menu items
- Third-party add-ins or components
- Shared system software
- Registry keys

The default location for required program files is:

C:\Program Files\MindManager 21

This folder contains **MindManager.exe**, application DLLs, and third party components. No user files are stored in this folder.

MindManager uses merge modules to install required system software, such as **ATL80.dll**. If MindManager uses a later version of a component than one already installed on the machine, MindManager installs the required version during deployment. For more information, see Shared System Software, below.

The first time a user runs the application, user data is placed in the default location

C:\Users\[username]\AppData\Local\Mindjet\MindManager\21: **C:\Users\[username]\AppData\Local\Mindjet\MindManager\21**, where **username** is the current user name. You must enable viewing hidden files to see this directory.

The first time a user starts the application, the application also searches to determine if a Microsoft Office custom dictionary exists for that user.

- The first location searched is
C:\Users\[username]\AppData\Roaming\Microsoft\UProof\CUSTOM.DIC (for Unicode).
- If the dictionary is not found there, MindManager checks for the ANSI version (which is used in earlier Office versions) at
C:\Users\[username]\AppData\Roaming\Microsoft\Proof\CUSTOM.DIC.

If the user-specific Microsoft Office custom dictionary is found, a reference to that dictionary is added to the list of spelling dictionaries.

MindManager stores maps at this default location:

C:\Users\[username]\Documents\My Maps

MindManager Components

The application installs a variety of configurable components, including:

- Library
- Dictionary

User configuration files are also installed to help govern their behavior.



Library

The Library component consists of several sub-components:

- **Background Images:** a library of map background wallpapers
- **Icons:** a library of symbols to indicate, at a glance, the status of an item
- **Images:** a library of pictures to help make maps more memorable
- **Map Marker Lists:** the library of user-created collections of map markers
- **Map Parts:** a library of insertable topic structures
- **Shapes:** a library of different topic shapes
- **Styles:** a library of MindManager map themes to customize the map's overall appearance
- **Templates:** a library of map templates to provide a jump start on map creation
- **Web:** a library of web templates to format web pages

These are optional but highly recommended components.

The library is not uninstalled if you uninstall the application; this content is preserved for users upgrading to newer versions.

The default location for the Library is:

C:\Users\[username]\AppData\Local\Mindjet\MindManager\21\Library\[language] where **language** is ENU (English), FRE (French), GER (German), RUS (Russian), NLD (Dutch), ESP (Spanish), JPN (Japanese), and or CHS (Chinese Simplified)

You may wish to install the library to a different location. See the documentation for deploying with the Installation Wizard or from the command line for instructions.

Dictionaries

The Dictionaries component contains both spell check and autocorrect dictionaries, including dictionaries for over 10 languages. When using the installer, you can choose which dictionaries to install. You can also control dictionary installation from the command line.

Spell check dictionaries are removed during the uninstall process, but the autocorrect dictionaries are preserved for users upgrading to newer versions of the application.

The default location for spell check Dictionaries is:

C:\Program Files\MindManager 21\sys\spell

The default location for autocorrect Dictionaries is:

C:\Users\[username]\AppData\Local\Mindjet\MindManager\21\Spell

User Configuration Files

MindManager creates and stores user configuration files for different purposes.

Table 2: Configuration Files

FILE NAME	LOCATION AND FUNCTION
ImagePropertyData base.dat	C:\Users\[username]\AppData\Local\Mindjet\MindManager\21 The application runtime, not the installer, creates this file dynamically. It collects information about keywords assigned by the user to images.



FILE NAME	LOCATION AND FUNCTION
UserData.ini	C:\Users\[username]\AppData\Local\Mindjet\MindManager\21 This file detects the first time a user launches the application and initiates procedures such as registry cleanup.
Library.ini	C:\Users\[username]\AppData\Local\Mindjet\MindManager\21\Library\[language] This file detects the library installation time. Because the application installs the library the first time it is launched, this file prevents multiple library installations.

Shared System Software

Some shared software must be installed on your system before using the admin setup. During installation, MindManager uses merge modules to install other missing software, such as PIPanel.msm. Missing components are installed from the modules. Depending on the host machine's configuration, the merge module installs the components required for that machine.

These shared components are not uninstalled automatically. Their default locations are indicated below.

Table 3: Location of Shared System Components

COMPONENT	FOLDERS AND FILES
Ink related files	%CommonProgramFiles%\Microsoft Shared\Ink <ul style="list-style-type: none"> ▪ InkObj.dll ▪ tpcps.dll ▪ GdiPlus.dll %WINDIR%\system32 <ul style="list-style-type: none"> ▪ InkEd.dll ▪ wisptis.exe * These components are installed only on Tablet PCs.

Environment variable names (e.g. "%CommonProgramFiles%") are expanded to their actual values (e.g. "C:\Programs Files\Common Files") by the installer.

Third-Party Software

MindManager uses specific third-party software. Unless otherwise stated, the installer checks to learn if the component is present on the system. If not, or if the application uses a newer version, the application installs or updates the software. The setup process places third-party software at C:\Program Files\MindManager 21\, and removes during the application uninstall process.



Table 4: Third-Party Software Overview

THIRD-PARTY SOFTWARE	DESCRIPTION AND VENDOR
atl70.dll	<ul style="list-style-type: none"> ▪ Active Template Library, template-based C++ classes, creates COM objects ▪ Microsoft
BCGCBPRO2310u.dll	<ul style="list-style-type: none"> ▪ BCG Control Bar Professional DLL
BCGPStyle2010Black2310.dll	<ul style="list-style-type: none"> ▪ BCGSoft Ltd. Portions
BCGPStyle2010Blue2310.dll	
BCGPStyle2010White2310.dll	
Blowfish algorithm	<ul style="list-style-type: none"> ▪ 128-bit encryption for password protection ▪ Schneier Publishing
extensibility.dll	<ul style="list-style-type: none"> ▪ Allows addition of add-ins ▪ Microsoft
HTS32MM.dll (for 32-bit)	<ul style="list-style-type: none"> ▪ An HTML control that supports inserting pictures, hyperlinks, tables, and other objects into RTF text
hts64mm.dll (for 64-bit)	<ul style="list-style-type: none"> ▪ Sub Systems, Inc.
Independentsoft.Webdav.dll	<ul style="list-style-type: none"> ▪ WebDAV protocol client API for .NET Framework ▪ Independentsoft
libtidyU.dll	<ul style="list-style-type: none"> ▪ HTML Tidy fixes a variety of HTML issues
libtidy64U.dll (for 64-bit)	<ul style="list-style-type: none"> ▪ WWW Consortium
matrix.dll	<ul style="list-style-type: none"> ▪ Map co-editing engine ▪ AG Software
Microsoft .NET Framework	<ul style="list-style-type: none"> ▪ Microsoft Web Services Enhancements 4.0 for Microsoft Windows Communication Foundation ▪ Microsoft
Mfc80.dll	<ul style="list-style-type: none"> ▪ Microsoft Foundation Classes, wrap Windows APIs in C++ libraries, forming application framework ▪ Other components are associated with this .dll. See Microsoft's documentation for complete information. ▪ Microsoft ▪ Microsoft C++ Runtime Library ▪ Microsoft
redemption.dll	<ul style="list-style-type: none"> ▪ Supports Microsoft Outlook Integration
redemption64.dll (for 64-bit)	
Sax Basic Engine	<ul style="list-style-type: none"> ▪ Components that enable VB-like scripting
ww10_000.chm	<ul style="list-style-type: none"> ▪ Support WinWrapBasic from Polar Engineering
ww10_32w.dll (for 32-bit)	<ul style="list-style-type: none"> ▪
ww10_64.dll (for 64-bit)	
Spr32du80.dll (for 32-bit)	<ul style="list-style-type: none"> ▪ FarPoint Spreadsheet Control



THIRD-PARTY SOFTWARE	DESCRIPTION AND VENDOR
Spr64du80.dll (for 64-bit)	<ul style="list-style-type: none"> FarPoint Technologies, Inc.
Ssce5532.dll (for 32-bit)	<ul style="list-style-type: none"> Spell checker engine Wintertree Software, Inc.
Ssce5564.dll (for 64-bit)	
Ter32mm.dll (for 32-bit)	<ul style="list-style-type: none"> RTF edit control Sub Systems, Inc.
Ter64mm.dll (for 64-bit)	
Vic32.dll (for 32-bit)	<ul style="list-style-type: none"> Image processor Catenary Systems, Inc.
Vic64.dll (for 64-bit)	
vsflex8n.ocx	<ul style="list-style-type: none"> VSFlexGrid8 (Unicode) helps display, edit, and format tabular data in spreadsheets. Helps integrate with Microsoft Excel. ComponentOne
zlib.dll	<ul style="list-style-type: none"> Lossless data compression library Jean-Loup Gailly and Mark Adler
zlib64.dll	

ThirdPartyReadMe

See the link below for additional legal information regarding Mindjet's use of third-party software:

<http://www.mindjet.com/legal>

The ReadMe can also be found in the installation directory:

`C:\Program Files\MindManager 21\THIRDPARTYREADME.txt`

Registry Keys

The installer places any per-machine Mindjet registry settings in or below the key:

`HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21`

These are the settings used by the application and its add-ins on a per-machine basis. No per-user values are stored in this key.

Following Windows guidelines, the application registers its associated file types, COM objects, etc., in sub-keys of `HKEY_CLASSES_ROOT`.

Table 5: Registry Key Overview

KEY TYPE	LOCATION/KEY
HKEY_LOCAL_MACHINE	<code>HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21</code>
HKEY_CLASSES_ROOT	<code>HKEY_CLASSES_ROOT\...</code> (all keys below this level) <ul style="list-style-type: none"> .mmap .mmas



KEY TYPE	LOCATION/KEY
	<ul style="list-style-type: none">▪ .mmat▪ .mmbas▪ .mmmp▪ .mmms▪ .mmp▪ .mdeck▪ Mindjet.MindManager.Custom.Document▪ Mindjet.MindManager.Document.x▪ Mindjet.MindManager.Document.Template.x▪ Mindjet.MindManager.Macro.x▪ Mindjet.MindManager.MapMarker.x▪ Mindjet.MindManager.MapMarkerSet.x▪ Mindjet.MindManager.MapPart.x▪ Mindjet.MindManager.Style.x▪ Mindjet.Mm5GenericSmartMapPart.AddIn▪ Mindjet.Mm5GenericSmartMapPart.AddIn.x▪ Mindjet.Mm5Sort.AddIn▪ Mindjet.Mm5Sort.AddIn.x▪ Mindjet.Mm5WebExportAddIn▪ Mindjet.Mm5WebExportAddIn.x▪ Mindjet.Mm10ExcelLinker.AddIn.x▪ Mindjet.Mm10ExcelLinker.AddIn▪ Mindjet.Mm10MsProject.AddIn▪ Mindjet.Mm10MsProject.AddIn.x▪ Mindjet.Mm10Outlook.AddIn▪ Mindjet.Mm10Outlook.AddIn.x▪ Mindjet.Mm10OutlookLinker.AddIn▪ Mindjet.Mm10Outlooklinker.AddIn.x▪ Mindjet.Mm10PPEExport.AddIn▪ Mindjet.Mm10PPEExport.AddIn.x▪ Mindjet.Mm10Project.AddIn▪ Mindjet.Mm10Project.AddIn.x▪ Mindjet.Mm10Word.AddIn▪ Mindjet.Mm10Word.AddIn.x▪ MindManager.Application▪ MindManager.Application.x▪ MindManager.Color▪ MindManager.Color.x▪ MindManager.TextFont▪ MindManager.TextFont.x▪ Mm5WebExport.Page▪ Mm5WebExport.Page.x▪ Mm5WebExport.Pages▪ Mm5WebExport.Pages.x▪ Mm5WebExport.VariantSets▪ Mm5WebExport.VariantSets.x▪ Mm5WebExport.WebExport▪ Mm5WebExport.WebExport.x▪ Mm5WebExport.WebExports▪ Mm5WebExport.WebExports.x



KEY TYPE	LOCATION/KEY
Uninstall Key	<ul style="list-style-type: none">MM8InternetExplorer.BHOMM8InternetExplorer.BHO.x <code>HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Uninstall</code>
HKEY_CURRENT_USER	<code>HKEY_CURRENT_USER\Software\Mindjet\MindManager\21</code>

Uninstall information for the program is stored in a sub-key of:

`HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Uninstall`

The name of the sub-key is the Globally Unique Identifier (GUID) for the program (which changes with each release). You can find it by using RegEdit to search for “MindManager” in the Uninstall key. The uninstallation key does not remain after uninstalling.

When a user runs the application, any per-user registry settings are stored in or below the key:

`HKEY_CURRENT_USER\Software\Mindjet\MindManager\21`

Some Current User keys remain after uninstalling. These keys help preserve user data for upgrading to the next version of MindManager.



WHAT REMAINS AFTER UNINSTALLATION

When you uninstall, almost all traces of the application are removed, including all components located at **C:\Program Files\MindManager 21**. Most registry keys are removed as well. Map files (.mmap files) *are not* deleted.

Remaining Files, Folders, and Software Components

When you uninstall, the installer leaves behind some components it installed with the program. The tables below reflect the most common remaining components and registry keys. The actual list may vary depending upon the installation and deployment. In general, components left behind fit one of these scenarios:

- User data (the library, images, and templates) remains to support upgrading to the next version *or*
 - Shared components, such as C++ libraries, and their registry keys get left behind because they may be required for other purposes
- or*
- A backup of your registry

Table 6: Remaining Files, Folders, and Software components

COMPONENT	LOCATION AND EXPLANATION
Ink related files	See <i>Shared System Software</i> (page13) for locations. These files may be in use by other applications.
msvcp60.dll	%WINDIR%\system32 This software may be in use by other applications.
msvcrt.dll	%WINDIR%\system32 This software may be in use by other applications.
XML-related files	See <i>Shared System Software</i> (page13) for locations. These files may be in use by other applications.
User Data	C:\Users\[username]\AppData\Local\Mindjet\MindManager\21 Contains dictionaries, images, templates dictionaries etc. that the user may have customized. Does not uninstall so the user does not lose this data when upgrading.



Remaining Registry Keys

Table 7: Remaining Registry Keys

REGISTRY KEY	LOCATION AND EXPLANATION
HKEY_CLASSES_ROOT	<p>HKEY_CLASSES_ROOT\ ▪ .mmap ▪ .mmp ▪ .mdeck</p> <p>These keys register .mmap file extensions.</p>
HKEY_CURRENT_USER	<p>HKEY_CURRENT_USER\Software\Mindjet\MindManager\21\ Keys at or below this preserve user data for upgrading.</p>



USING THE ADMIN SETUP

The Admin setup gives systems administrators more control over an installation. It is distributed in a .zip archive that contains the following files:

- **MindManager 21.msi**
The MindManager Microsoft installer.

- **dotNetFx460_web_setup.exe**
Microsoft's .NET Framework redistributable setup.

- **vc redistrib_2015_x86.exe (for 32-bit or 64-bit running 32-bit) or
vc redistrib_2015_x64.exe (for 64-bit)**
Microsoft Visual C++ run-time environment for version 2015.

- **MindManager_Large_Scale_Deployment_Guide.pdf**
This Deployment Guide.



Using the admin setup gives you nearly complete control over your deployment, including:

- Deploying (or not deploying) specific components
- Disabling functions, such as internet access
- Storing components on network drives, such as user data or the library

You also have the option of configuring many items from the registry.

Required Software

All required software is included in the Admin setup package. It contains some software that must be installed on your system before using the setup. You should verify that this software is already installed on your system; if not, install it from the admin package.

- `vc_redist_2015_x86.exe` or `vc_redist_2015_x64.exe` installs the VC++ Redistributable components for Visual Studio 2015.

Check for existence of registry key.

For `vc_redist_2015_x86.exe`, the registry key is:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Uninstall\
{13A4EE12-23EA-3371-91EE-EFB36DDFFF3E}
```

For `vc_redist_2015_x64.exe`, the registry key is:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Uninstall\
{A749D8E6-B613-3BE3-8F5F-045C84EBA29B}
```

Or simply re-install.

- `vc_redist_2015_x86.exe` installs the VC++ Redistributable components for Visual Studio.

Check the installed programs in the Control Panel to check existing installation.

- `dotNetFx460_web_setup.exe` installs the Microsoft Net Framework

Check the installed programs in the Control Panel to check existing installation. This install can take quite a long time.

Note: You should check for and install any missing components *in the order listed above*.

Required Permissions and Privileges

Administrator privileges are required to install any Windows software, including MindManager.

No special privileges or disk permissions are required to run the application. A user can run the program as a restricted user, a “normal” user, a power user, or an administrator. The program does assume that the user has read/write/create privileges in the **HKEY_CURRENT_USER** registry key as well as in the user profile section of the hard disk and below.



Differences between the Standard and Admin Setups

The Admin setup is based on the standard setup—with a number of important differences:

Caching: The admin setup does not cache the setup on the computer where it is being installed. Instead, the setup should be run from a network location that remains accessible from the workstation at all times. This ensures proper operation of the Modify, Repair, and Remove entries in the “Add/Remove programs” Control Panel applet, and avoids duplication of the installation source on every system where the application is installed.

Patching: Admin setups are only delivered as full setups, not patch setups. The reason for this is that system administrators might modify the admin setup to suit the needs of their individual company. If the installation database is transformed in this way, a future patch would not be able to properly update the installation. We avoid this problem by not delivering patch updates at all for our admin setups. To upgrade, you need to uninstall the previous version and install the upgrade.

Packaging: We exclude the Microsoft Windows Installer engine and .NET Framework installer. Both components must be installed prior to running MindManager.msi if they are missing from a user’s machine.

User Data: The admin setup includes the option to specify the location of user data.

Library Files: There is also an option to have the application extract the library files as usual, or to have the administrator set this up “manually,” ahead of time. For more information, see *Deploying User Data and the Library to a Server*, page 26.

Installing MindManager: An Overview

This section gives an overview of the admin setup and application components. With this information, you can understand the installation process and determine what you may wish to customize for your deployment.

Per-machine Setup

The setup installs the program on a client machine and only sets per-machine registry settings in the **HKEY_LOCAL_MACHINE** and **HKEY_CLASSES_ROOT** registry keys. It does not directly create or set any registry keys or values in the **HKEY_CURRENT_USER** registry key.

The installer installs all program files to this default folder:

```
C:\Program Files\MindManager 21
```

Administrator privileges are required to install any Windows software, including MindManager.

Per-user Setup

Each time the application launches, it checks the UserData.ini file, located in **C:\Users\[username]\AppData\Local\Mindjet\MindManager\21** to determine if a per-user setup needs to be performed.

If this file is missing, or if the version of the application installed is newer than the version the user last ran, then MindManager prepares for a “new” per-user installation by deleting the following registry key:

```
HKEY_CURRENT_USER\Software\Mindjet\MindManager\21\User Interface
```



The application also determines if the per-user application data files (outline print templates and spell check auto-correct dictionaries) are present. If not, it copies them from the “All Users” folder:

C:\Users\[username]\AppData\Local\Mindjet\MindManager\21

Finally, the application determines if the per-user Library files need to be installed using the same UserData.ini algorithm described above and checks the **LSDLibraryExtract**. If the registry is not set to 0, then a separate background task/program is run to unzip the library files from a MindManager sub-folder:

C:\Program Files\MindManager 21\sys\[language]



DEPLOYING WITH THE INSTALLATION WIZARD


Using the admin setup to install the application is straightforward and simple. Unlike the basic setup, you have customization options, though not as many as from the command line.

Starting the Installation

To install the application:

1. Launch the installer.
2. At the welcome screen, click **Next**.
3. Select “I agree to the terms of the license agreement” and click **Next**.
4. Enter the Customer Information (User Name and Organization).
5. Click **Next**.

The Setup Type dialog appears.



At this point, you can customize your deployment or complete the installation (page 28).



Customizing the Installation

A custom installation allows you to:

- Disable default features
- Change the default installation folder
- Deploy user data and the library on a separate server


If you need to customize the installation beyond these parameters, see *Deploying from the Command Line* (page 30).


Disabling Default Features

To disable the default installation features:

6. Complete steps 1-5 in *Starting the Installation* (page 24).
7. Select Custom and click **Next**.

The Custom Setup dialog appears.

8. In the tree, select a feature whose default installation you want to change.
9. Click the down arrow button .
10. Select the desired feature setting.



For each selected feature, a description and storage requirement appears.

11. Repeat this process until you have made all of your feature customization choices.




12. Complete the installation as outlined in *Completing the Installation* (page 28).

Changing the Default Installation Folder

To change the default installation folder:

13. Complete steps 1-5 in *Starting the Installation* (page 24).
14. Select Custom and click **Next**.

The Custom Setup dialog appears.



15. Click Change.

The Change Current Destination Folder dialog appears.

16. Select the destination folder.
17. Click **OK**.

The new destination folder appears in the Custom Setup dialog.

18. Complete the installation as outlined in *Completing the Installation* (page 28).

Deploying User Data and the Library to a Server

MindManager installs a “Library” folder containing:

- Background Images
- Icons



- Images
- Map Parts
- Shapes
- Styles
- Templates
- Web Export Templates

The entire library consists of several megabytes. By default, these files are stored on a per-user basis in this folder:

`C:\Users\[username]\AppData\Local\Mindjet\MindManager\21Library\[language]`

You can store user data and the library in a network folder for if you wish to:

- Save space on users' systems
- Decrease the time required to run the program the first time
- Allow roaming user's access to their customized libraries
- Assure that all users have a fixed, easily updatable set of library files

You can install these files once to a common location (perhaps in a read-only folder). Multiple users can then share the files, or a single user can access them from multiple machines. If a user needs to edit these files, install them in a directory with write privileges.


You cannot install user data and the library to separate locations from the installation wizard. To install them separately, you must install them from the command line (page 30).

To deploy user data and the library to a server:

19. Complete steps 1-5 in *Starting the Installation* (page 24).
20. From the Custom Setup dialog, click **Advanced**.

The Deploy User Data Files dialog appears.

21. Select Deploy user data on server.



22. Click **Browse**.

The Browse for Folder dialog appears.

23. Select the destination folder.

24. Click **OK**.

The new directory appears in the Server base path field.

25. Choose from the following options:

- Extract library to the server path the first time the application starts
- Use separate folders per user

We recommend selecting both of these options to avoid needing to configure the user data folder and the library folder separately. You may want to create the user folders before installation, giving you the chance to make the files read only.

26. Click **OK** to close the dialog.

27. Complete the installation as outlined in *Completing the Installation*

These are all of the customization choices available from the installer interface. You have more control if you deploy from the command line.

Completing the Installation

To complete the standard installation:

28. Select Complete and click **Next**.

The Ready to Install dialog appears.



29. Choose your shortcut options.
30. Click **Install**.
31. After the installation is complete, choose from the following options:
 - Launch MindManager
 - Register MindManager
32. Click **Finish**.



DEPLOYING FROM THE COMMAND LINE

While you may wish to customize your deployment from the installer interface, you have much greater control over the installation from the command line, including:

- Configuring installation parameters
- Specifying what to install on a feature by feature basis
- Enabling or disabling program functions
- Specifying where to install libraries, and user data
- Using a custom SharePoint SiteConnections.xml file

This section identifies what you may configure and provides examples of command line arguments for customizing your deployment. A sample installation command demonstrating most of these options is included in *Sample Setup Commands* (page 40).

Configuring Installation Parameters from the Command Line

You can set a number of public properties with command line options.

Table 8: Configuring Installation Parameters from the Command Line

PARAMETER	DESCRIPTION OF VALUES
INSTALLDIR	Specifies where the application should install the program. For example: <code>"C:\Program Files\MindManager 21\"</code>
RESOURCELANGUAGE	Specifies the Install language of MindManager. Language values include: "English", "German", "French", "Russian", "Japanese", "ChineseSimplified" "Spanish" and "Dutch". If a language parameter is not specified, MindManager will be installed in the default Operating System language for the above supported languages. For example: <code>msiexec /i "<directory>\filename.msi" RESOURCELANGUAGE="German" /qn</code>



PARAMETER	DESCRIPTION OF VALUES
USERNAME	Specifies the User Name for registering the application. Optional parameter; the Windows User Name will be used if this parameter is not supplied.
COMPANYNAME	Specifies the Company Name for registering the application. Optional parameter; the Windows Company Name will be used if this parameter is not supplied.

Configuring Features from the Command Line

The admin setup is a Basic MSI project, not an InstallScript project; there is no record mode to run an install with Setup.iss. Basic MSI projects do not create or use a response file for silent installations.

Tip: When configuring features from the command line, it is better to use /s silent installation to avoid conflicts with properties set through the installer interface. You can remove or add features from the command line by using **ADDLOCAL** or **REMOVE** on a feature by feature basis. To simplify the process, use **ADDLOCAL="ALL"** and then remove features you do not want. Examples are provided below.

Customizing the Installation with Setup.exe

You can use the following options to add or remove features from the command line setup.exe:

```
/v=command line access to msi file  
/qn=when used with /v parameter, silent (no user interface) parameter  
passed to msi file
```

Here are examples of adding and removing features through the setup.exe file, using silent install:

Adding:

```
<directory>\setup.exe /v"ADDLOCAL=\"MSWordAddin\" /qn"
```

Removing:

```
<directory>\setup.exe /v"ADDLOCAL=\"ALL\" \"REMOVE=\"MSWordAddin\" /qn"
```

You can also string together multiple features for inclusion or removal:

```
<directory>\setup.exe  
/v"ADDLOCAL=\"All\" REMOVE=\"MSWordAddin, RSS\" /qn"
```

Customizing the Installation with MSI

You can use these options to add or remove features from the command line with MSI.exe:

```
/i=install mode
```



`/qn=silent` (no user interface) parameter (Tip: `/qn+` will let you know when it's done)

Note: In Windows, security features require that you run silent install (`/qn`) as the Administrator, *not* as a member of the Administrator group.

Here are examples of adding and removing features through the `msiexec.exe` file, using silent install:

Adding:

```
msiexec /i "<directory>\filename.msi" ADDLOCAL="MSWordAddin" /qn
```

Removing:

```
msiexec /i "<directory>\filename.msi" ADDLOCAL="ALL"
REMOVE="MSWordAddin" /qn
```

You can also string together multiple features for inclusion or removal:

```
msiexec /i "<directory>\filename.msi" ADDLOCAL="ALL"
REMOVE="MSWordAddin, PDFWriter,RSS" /qn
```

Table 9: Configuring Features with MSI from the Command Line

FEATURE	COMMENTS
Library	<p>Available add-ins</p> <p>The default add-in is Library, which installs add-ins below. You can also specify a subset.</p> <ul style="list-style-type: none"> ▪ Images ▪ Shapes ▪ BackgroundImages ▪ Icons ▪ ImageGallery ▪ TemplateOrganizer ▪ Templates ▪ WebTemplates ▪ Styles ▪ Map Parts ▪ Map Markers <p>Example:</p> <pre>msiexec /i "<directory>\filename.msi" ADDLOCAL="ALL" REMOVE="WebTemplates" /qn</pre>
Dictionaries	<p>Available add-ins</p> <p>The default add-in is Dictionaries, which installs add-ins below. You can also specify a subset.</p> <ul style="list-style-type: none"> ▪ Swedish ▪ Spanish ▪ Norwegian ▪ BrazilianPortuguese ▪ Italian



FEATURE	COMMENTS
Microsoft Add-Ins	<ul style="list-style-type: none">▪ Danish▪ Finnish▪ CanadianEnglish▪ USEnglish▪ UKEnglish▪ French▪ Dutch▪ German <p>Example:</p> <pre>msiexec /i "<directory>\filename.msi" ADDLOCAL="ALL" REMOVE="CanadianEnglish" /qn</pre> <p>Available add-ins:</p> <p>The MSAddins feature is a container for the following Microsoft-related add-ins. Any or all of these sub-features can be all installed by specifying them on the command line. (Examples below clarify this.)</p> <p>MSWord (for 32-bit) or MSWordAddin64 (for 64-bit)</p> <p>MSOutlookLinkerAddin (for 32-bit) or MSOutlookLinkerAddin64 (for 64-bit)</p> <p>MSOutlookMapMinderLinkerAddin (for 32-bit) or MSOutlookMapMinderLinkerAddin64 (for 64-bit)</p> <p>MSProjectAddin (for 32-bit) or MSProjectAddin64 (for 64-bit)</p> <p>MSExcelLinkerAddin (for 32-bit) or MSExcelLinkerAddin64 (for 64-bit)</p> <p>MmExcel (for 32-bit) or MmExcel64 (for 64-bit)</p> <p>MSIEAddin (for 32-bit) or MSIEAddin64 (for 64-bit)</p> <p>Note:</p> <p>This MSAddins feature, and all sub-features, can be removed with REMOVE= "MSAddins" but they cannot be added with ADDLOCAL= "MSAddins".</p> <p>Example:</p> <p>There are three options for including a feature that's not installed:</p> <ol style="list-style-type: none">1. Include the selected feature2. Include the selected feature and all sub-features3. Include the selected feature and then select sub-features individually<ul style="list-style-type: none">▪ Using ADDLOCAL="MSAddins" is equivalent to (1) above. However, this causes no add-ins to be added since MSAddins is just a container for other add-ins, and they need to be specified.



FEATURE	COMMENTS
RSS	<ul style="list-style-type: none"> ▪ ADDLOCAL="MSAddins, MSExcellLinkerAddin, MSIEAddin, MSOutlookLinkerAddin, MSPProjectAddin, MSWordAddin" or (for 64-bit version) ADDLOCAL="MSAddins, MSExcellLinkerAddin64, MSIEAddin64, MSOutlookLinkerAddin64, MSPowerPointAddin64, MSPProjectAddin64, MSWordAddin64" is equivalent to (2) above. ▪ Using a subset of MSIEAddin, MSIEAddin64; MSOutlookLinkerAddin, MSOutlookLinkerAddin64; MSPowerPointAddin, MSPProjectAddin, MSPProjectAddin; MSWord, MSWord is equivalent to (3) above. <p>The add-in is RSS</p> <p>Example:</p> <pre>msiexec /i "<directory>\filename.msi" ADDLOCAL="ALL" REMOVE="RSS" /qn</pre>

Configuring Functions from the Command Line

During installation, you can disable some functions by setting the value to "0." For example:

```
msiexec /i "<directory>\MindManager 21.msi" /qn ONLINEHELP="0"
```

Table 10: Configuring Functions from the Command Line

FUNCTIONS	EXAMPLES
Macro Support	<p>The function name is MACROUI.</p> <p>Example (msi):</p> <pre>msiexec /i "<directory>\MindjetAdmin.msi" /qn MACROUI="0"</pre>
Shortcuts	<p>The function names are:</p> <ul style="list-style-type: none"> ▪ SHORTCUTDESKTOP ▪ SHORTCUTSTARTMENU <p>Example:</p> <pre>msiexec /i "<directory>\MindManager 21.msi" /qn SHORTCUTSTARTMENU="0"</pre>
Internet Access	<p>The function name is INTERNETACCESS.</p> <p>Example(msi):</p>



FUNCTIONS	EXAMPLES
Online Help	<pre>msiexec /i "<directory>\MindManager 21.msi" /qn INTERNETACCESS="0"</pre> <p>Example (setup.exe):</p> <pre><directory>\setup.exe /s /v"INTERNETACCESS=0 /qn"</pre> <p>The function name is ONLINEHELP.</p> <p>Example (msi):</p> <pre>msiexec /i "<directory>\MindManager 21.msi" /qn ONLINEHELP="0"</pre> <p>Example (setup.exe):</p> <pre><directory>\setup.exe /s /v"ONLINEHELP=0 /qn"</pre>
UI Customization	<p>The function name is UICUSTOMIZATION.</p> <p>Example (msi):</p> <pre>msiexec /i "<directory>\MindManager 21.msi" /qn UICUSTOMIZATION="1"</pre> <p>Example (setup.exe):</p> <pre><directory>\setup.exe /s /v"UICUSTOMIZATION=1 /qn"</pre>
Disable Attachments	<p>The function name is DISABLEATTACHMENTS</p> <p>Example (msi):</p> <pre>msiexec.exe /i "<directory>\MindManager 21.msi" DISABLEATTACHMENTS="1" /qn</pre>
Disable Box (From Add Places)	<p>The function name is ENABLEBOX</p> <p>Example (msi):</p> <pre>msiexec.exe /i "<directory>\MindManager 21.msi" ENABLEBOX="0" /qn</pre>
Disable Dropbox (From Add Places)	<p>The function name is DROPBOXENABLED</p> <p>Example (msi):</p> <pre>msiexec.exe /i "<directory>\MindManager 21.msi" DROPBOXENABLED="0" /qn</pre>
Disable Google Drive (From Add Places)	<p>The function name is GOOGLEDRIVEENABLED</p> <p>Example (msi):</p> <pre>msiexec.exe /i "<directory>\MindManager 21.msi" GOOGLEDRIVEENABLED="0" /qn</pre>



FUNCTIONS	EXAMPLES
Disable OneDrive (From Add Places)	<p>The function name is ONEDRIVEENABLED</p> <p>Example (msi):</p> <pre>msiexec.exe /i "<directory>\MindManager 21.msi" ONEDRIVEENABLED="0" /qn</pre>
Disable SharePoint (From Add Places)	<p>The function name is SHAREPOINT</p> <p>Example (msi):</p> <pre>msiexec.exe /i "<directory>\MindManager 21.msi" SHAREPOINT="0" /qn</pre>
Disable Product Notifications	<p>The function name is PRODUCTNOTIFICATIONS</p> <p>Example (msi):</p> <pre>msiexec.exe /i "<directory>\MindManager 21.msi" PRODUCTNOTIFICATIONS="0" /qn</pre>
Disable Refresh Map Roll-up on Open	<p>The function name is REFRESHMAPROLLUP</p> <p>Example (msi):</p> <pre>msiexec.exe /i "<directory>\MindManager 21.msi" REFRESHMAPROLLUP="1" /qn</pre>
Disable Publishing	<p>The function name is PUBLISHENABLED</p> <p>Example (msi):</p> <pre>msiexec.exe /i "<directory>\MindManager 21.msi" PUBLISHENABLED="0" /qn</pre>
Disable Co-Editing	<p>The function name is COEDITENABLED</p> <p>Example (msi):</p> <pre>msiexec.exe /i "<directory>\MindManager 21.msi" COEDITENABLED="0" /qn</pre> <p>The function name is CAPTUREENABLED</p> <p>Example (msi):</p>



FUNCTIONS	EXAMPLES
Disable MindManager Snap	<pre>msiexec.exe /i "<directory>\MindManager 21.msi" CAPTUREENABLED="0" /qn</pre> <p>The function name is PROXY_TYPE=X Where X can be following 0 = no proxy 1 = Use default windows settings 2 = Use custom proxy settings Example (msi):</p> <pre>msiexec.exe /i "<directory>\MindManager 21.msi" PROXY_TYPE=X /qn</pre>
Proxy Options	<p>The function name is PROXY_TYPE=2 PROXY_HOST="host name" PROXY_PORT=port number PROXY_AUTHENTICATION=can be 0 or 1(0 to disable) PROXY_SAVECREDENTIALS=can be 0 or 1(0 to disable) Example (msi):</p> <pre>msiexec.exe /i "<directory>\MindManager 21.msi" PROXY_TYPE=2 PROXY_HOST="host name" PROXY_PORT=port name PROXY_AUTHENTICATION=1 PROXY_SAVECREDENTIALS=1 /qn</pre>
Custom Proxy setup	<p>The function name is ALLOW_HTML5_TEMPLATE_UPDATE</p> <p>Example (msi):</p>



FUNCTIONS	EXAMPLES
<p>Disable HTML5 Template Updater</p>	<pre>msiexec.exe /i "<directory>\MindManager 21.msi" ALLOWHTML5TEMPLATEUPDATE=0 /qn</pre>

Deploying User Data and the Library

As discussed previously in *Deploying User Data and the Library to a Server* (page 26), you may want to deploy user data and the library to a server. If you want to deploy the user data and library on separate servers, you must do so from the command line or by editing the registry.

Deploying User Data and the Library from the Command Line

The following commands give you the ability to deploy user data and the Library to separate locations. Each option consists of a property, which (when given a command line value) writes to the registry. You can also predefine these options by creating and executing a registry script before a silent setup.

Table 12: User Data Deployment Options

COMMAND	RESULTING REGISTRY ENTRY
<p>USERDATAPATH="<user specified path>"</p>	<p>HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\Installer "LSDUserDataPath" "<user specified path>"</p>
<p>USERDATAPERUSERPATH="1"</p>	<p>Deploy user data in a per-user folder.</p> <p>1=Enable 0=Default or disable</p>
<p>USERDATAPATHSUFFIX="<user specified path>"</p>	<p>This folder is appended to the per-user folder.</p> <p>HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\Installer "LSDUserDataPathSuffix" "<user specified directory>"</p>



Example:

```
msiexec /i "MindManager 21.msi" USERDATAPATH="C:\Temp\UserData"
USERDATAPERUSERPATH="1" USERDATAPATHSUFFIX="MyUserData"
```

Table 13: Library Deployment Options

COMMAND	RESULTING REGISTRY ENTRY
LIBRARIESPATH ="<user specified path>"	HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\Installer "LSDLibraryPath" "<user specified path>"
LIBRARIESPERUSERPATH ="1"	Deploy libraries in a per-user folder. 1=Enable 0=Disable HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\Installer "LSDLibraryPerUser" (1)
LIBRARIESPATHSUFFIX ="<user specified directory>"	This folder is appended to the per-user folder. HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\Installer "LSDLibraryPathSuffix" "<user specified directory>"
LIBRARIESEXTRACT ="1"	Extract libraries to path the first time the application starts. 1=Enable 0=Disable HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\Installer "LSDLibraryExtract" (1)

Example:

```
msiexec /i "MindManager 21.msi" LIBRARIESPATH ="C:\Temp\Libraries"
LIBRARIESPERUSERPATH ="1" LIBRARIESPATHSUFFIX ="MyLibraries"
LIBRARIESEXTRACT="1"
```

Deploying User Data from the Registry

During a silent (non-interactive) installation, you can deploy data user files by setting some registry values on the user's system in the registry key before running the installer:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\Installer
```

Table 14: User Data Registry Key Values

REGISTRY VALUE	DATA VALUE
LSDUserDataPath	Examples:



REGISTRY VALUE	DATA VALUE
	N:\User Data\All Users\Mindjet\MindManager\ or N:\User Data (if LSDUserDataPerUser is set to 1)
LSDUserDataPerUser	0 = Do not use separate folders per user 1 = Do use separate folders per user
LSDUserDataPathSuffix	See above Example: Mindjet\MindManager\21 Only applies if LSDUserDataPerUser is set to 1

If you want to deploy all of the user data (including the library) on a server, create a registry file named "MindManager Large-Scale Deployment Options.reg" like this:

```
REGEDIT4
[HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet]
[HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager]
[HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21]
[HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\Installer]
"LSDUserDataPath"="N:\\User Data\\All Users\\Mindjet\\MindManager 19"
"LSDUserDataPerUser"=dword:00000001
"LSDUserDataPathSuffix"="User Data"
"LSDLibraryPath= N:\\All Users\\Mindjet\\MindManager 19"
"LSDLibraryPerUser"=dword:00000001
"LSDLibraryPathSuffix"="Library"
"LSDLibraryExtract"=dword:00000001
```

Sample Setup Commands

The following sections provide sample commands to demonstrate various installation scenarios.

Simple Installation

This command simply runs the installer in the usual interactive mode.

```
Msiexec.exe /i "MindManager 21.msi"
```

You can also run `MindManagerAdmin.msi` from Windows Explorer.

Silent Installation



This command silently runs the installer, supplying values for all required parameters.

```
Msiexec.exe /i "MindManagerAdmin.msi" /qn INSTALLDIR="C:\Program  
Files\MindManager 21\"
```

Uninstallation

This command uninstalls the application:

```
Msiexec.exe /x "MindManager 21.msi"
```



DEPLOYING WITH ACTIVE DIRECTORY

Deploying via Active Directory and Group policies is has limited supported at this time because:

- The setup only supports computer-based software installation
- Some properties can only be configured from the command line

You can use configuration tools such as Orca to:

- Configure properties from the property table
- Save the settings to a transform file (MST)
- Deploy it with the updated values

Here is a list of properties you can modify in the Property Table:

Table 15: Properties Editable in Properties Table

PROPERTY	DESCRIPTION/DEFAULT SETTING
INTERNETACCESS=1/0	<ul style="list-style-type: none"> ▪ Allow internet access ▪ Default=1
LIBRARIESPATH=<defaultpath>	User can override default path.
LIBRARIESPATHSUFFIX=<defaultpath>	User can override default path.
LIBRARIESPERUSERPATH=0/1	<ul style="list-style-type: none"> ▪ Deploy libraries per user ▪ Default=0
LIBRARIESEXTRACT=1/0	<ul style="list-style-type: none"> ▪ Extracts libraries at first launch ▪ Default=1
USERDATAPATH=<defaultpath>	User can override default path.
USERDATAPATHSUFFIX=<defaultpath>	User can override default path.
USERDATAPERUSERPATH=0/1	<ul style="list-style-type: none"> ▪ User Data deployed per user ▪ Default=1
MACROUI=1/0	<ul style="list-style-type: none"> ▪ Enable Macros in UI ▪ Default=1
ONLINEHELP=1/0	<ul style="list-style-type: none"> ▪ Enable online help ▪ Default=1
REBOOTISREQUIRED=No/Yes	<ul style="list-style-type: none"> ▪ Require reboot after installation ▪ Default=No
TOPICALERTSLINKER=1/0	<ul style="list-style-type: none"> ▪ Enable topic alerts linker ▪ Default=1
UICUSTOMIZATION=1/0 (default=1)	<ul style="list-style-type: none"> ▪ Enable UI customization



PROPERTY	DESCRIPTION/DEFAULT SETTING
SHORTCUTDESKTOP=1/0 (default=1)	<ul style="list-style-type: none">▪ Default=1▪ Create Desktop shortcut▪ Default=1▪
SHORTCUTSTARTMENU=1/0 (default=1)	<ul style="list-style-type: none">▪ Create StartMenu shortcut▪ Default=1

Recommendations include

- Saving these settings to the transform file as a backup, rather than directly to the MSI
- Deploying on a per-machine basis only, avoiding the possibility that the machines with multiple users get multiple copies of the application installed
- Creating a policy for “Always install elevated,” otherwise the installation may fail



ADMINISTERING MINDMANAGER

There are other administrative issues involved in deploying on a large scale. You can address many of them using the administrative tools and methods described below.

Disabling Zapier

To set this HKLM registry entry to 0 use the following command:

```
msiexec /i "MindManager 2020.msi" ZAPIERENABLED="0" /qn+
```

The above example creates:

```
HKLM\SOFTWARE\Mindjet\MindManager\20\Settings\ZapierEnabled
```

with a value of 0 (disabled), otherwise this key is not created by the installer at all.

Note: When a 32bit installer is run on a 64bit OS, there is a Wow6432Node component added to the above registry entry. In this case, the HKEY looks like this:

```
HKLM\SOFTWARE\Wow6432Node\Mindjet\MindManager\20\Settings\ZapierEnabled
```

Managing Add-Ins

The application uses a number of add-in DLLs. The Add-Ins are automatically registered when the application is installed. On startup, the Add-Ins check for any other required resources (e.g. the supported version(s) of Microsoft Word). They enable or disable themselves as appropriate. If an add-in fails to start, it is automatically removed from the list of add-ins (but not from the disk).

Registering or Unregistering Add-Ins from the Command Line

To unregister the Word add-in:

1. Select Start>Run.
2. Enter the command:

```
regsvr32 /u "C:\Program Files\MindManager 21\Mm20Word.dll"
```

3. To restore an unregistered add-in, for example the Word Add-in,
4. Select Start>Run.
5. Enter the command:

```
regsvr32 "C:\Program Files\MindManager 21\Mm20Word.dll"
```

Managing Add-Ins from the Registry

Users can enable and disable Add-ins via the Tools > Add-Ins command. However, if desired it is possible to disable or remove individual add-ins via the Windows Registry.



The Registry Add-In List

The list of add-ins that load at startup can be found in the Registry at:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\AddIns
```

Removing or Restoring Add-Ins from the Registry

To remove an add-in (i.e. make it “invisible” to the application), delete its registry subkey.

To remove the Word add-in, delete the following key:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\AddIns\Mindjet.MmWordAddIn.21
```

This makes the add-in “invisible” to the application so it will not be loaded on program startup and will not be seen in the list of add-ins in the Tools -> Add-Ins dialog. However, the add-in DLL files still exist on the hard drive.

Another way to remove an add-in is to unregister it as described in *Registering or Unregistering Add-Ins from the Command Line* (page 44). We do not recommend deleting the add-ins DLLs since they will be restored automatically the next time the program is run via its shortcut.

Enabling or Disabling Add-Ins from the Registry

Users can disable or enable a given add-in directly via the **Tools -> Add-Ins** command. Add-ins can also be disabled via the Windows Registry as described below.

There are two keys to consider when disabling an add-in for a given user:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\AddIns\AddInName
```

```
HKEY_CURRENT_USER\Software\Mindjet\MindManager\21\AddIns\AddInName
```

Where **AddInName** is the actual name of the add-in (e.g. **Mindjet.MmWordAddIn.21**).

When a given user starts the application, the program checks first in the **HKEY_CURRENT_USER** subkey for a “LoadBehavior” value. If it exists, it is used.

If the “LoadBehavior” value does not exist, the application copies the LoadBehavior value from the **HKEY_LOCAL_MACHINE** subkey to the **HKEY_CURRENT_USER** subkey and then uses that value.

Therefore, to disable an add-in for the current user, set the LoadBehavior value in the **HKEY_CURRENT_USER** subkey to 0.

To disable the add-in for all new users, set the LoadBehavior value in the **HKEY_LOCAL_MACHINE** subkey to 0.

Note: This has no effect on users that have already run the application at least once. For them you must set LoadBehavior in the **HKEY_CURRENT_USER** subkey.

Similarly, setting LoadBehavior to 2 enables the add-in again.

Managing Microsoft Office Add-Ins



When the application is installed, it registers add-ins for MS Office products. The location of this add-in registration in the Windows Registry depends on the application and the add-in.

Note that Word handles the **Tools -> "COM Add-Ins"** command and user interface differently than MindManager.

- In Word, if an add-in is registered in HKEY_LOCAL_MACHINE (HKLM), then it is not displayed in the COM Add-Ins dialog.
- If an add-in is registered in HKEY_CURRENT_USER (HKCU), it is displayed in the dialog and can be turned off and on.
- If the add-in is registered both in HKLM and HKCU, Word ignores the HKCU entry and just uses the HKLM entry.

The registry data values for the Microsoft program add-ins are the same as described for the add-ins, and can be edited in a similar fashion.

Managing from the Registry

To allow system administrators to control the environment presented to their users, the application supports registry settings, which can be set via the user interface. However, registry settings relevant to Large-Scale Deployment are *not* available from this user interface. See also the user data installation options on page 12, which are similarly adjusted via registry settings.

HKEY_LOCAL_MACHINE Settings

The following registry settings are used on a per-machine basis:

HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\Settings

Table 16: HKEY_LOCAL_MACHINE Settings

VALUE NAME	TYPE	VALUE DATA
LocalUserDataDirectory	REG_SZ	<p>Path to copy user data files (e.g. Image Library files, etc.) at first launch. May contain environment variables.</p> <p>For example:</p> <p>N:\UserData\%USERNAME%\MindManager 20</p> <p>If no path is specified, then this path is assumed:</p> <p>%USERPROFILE%\Local Settings\Application Data\MindManager\21</p> <p>This setting can be overridden by the same setting in HKEY_CURRENT_USER (see below) or by the LSDUserDataPath setting described earlier.</p>



HKEY_CURRENT_USER Settings

The following registry settings are used on a per-user basis:

HKEY_CURRENT_USER\Software\Mindjet\MindManager\21\Settings

Table 18: HKEY_CURRENT_USER Settings

VALUE NAME	TYPE	VALUE DATA
AllowUpdateCheck	REG_DWORD	0 to hide the Help, Check for Updates command. 1 to show this command. 2 to show this command only if the user has write privileges to HKEY_LOCAL_MACHINE (default)
DisableAnimation	REG_DWORD	0 to allow animation of maps for smoother scrolling. 1 to disable animation of maps for one-jump scrolling, which is less graphics intensive and perhaps more desirable in a low-bandwidth Windows Terminal Server environment.
LocalUserDataDirectory	REG_SZ	Path to copy user data files (e.g. Image Library files, etc.) to when a new user first launches. May contain environment variables. For example: N:\UserData\%USERNAME%\MindManager 19 If no path is specified, then this path is assumed: %USERPROFILE%\Local Settings\Application Data\MindManager\20 This setting can be overridden by the LSDUserDataPath setting described earlier.

Managing with Event Macros

The application can trigger certain Event Macros that can help system administrators monitor the usage of the program more carefully.

- These macros are examples only. You need to customize them for your environment.
- Microsoft added the Outlook Object Model Guard starting with Outlook version 2002, forcing the display of an alert message informing the user that a program is trying to access or send a message via Outlook, which the user must approve before proceeding. This behavior can be controlled by Outlook system policies.



Table 19: Event Macros

EVENT NAME	WHEN FIRED
OnApplicationStarted	At the end of InitInstance (only when started in “normal” mode, not /RegServer, /UnregServer, etc.)
OnExpiredTrialStarted	Just before the “Trial Expired” dialog
OnFirstUse	Just before installation of “per-user data”
OnBuyButtonPressed	Just before the “Buy MindManager” dialog is displayed

When a macro event is fired, 0 or more macros are run. The mapping of macro event names to macro filenames is determined on startup.

On startup, the application looks in the registry at **HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21** for a key named Event Macros. If it is found, expect to find keys such as these:

```

Event Macros\
  OnApplicationStarted\
    EventMacro_OnApplicationStarted.mmbas
    EventMacro_OnApplicationStartedTwo.mmbas

Path="C:\Temp\EventMacro_OnApplicationStartedTwo.mmbas"
  OnBuyButtonPressed\
    EventMacro_OnBuyButtonPressed.mmbas
  OnExpiredTrialStarted\
    EventMacro_OnExpiredTrialStarted.mmbas
  OnFirstUse\
    EventMacro_OnFirstUse.mmbas

```

Each event key can have 0 or more macro key names. Each macro key can have an optional “Path” value.

- If the “Path” value is not there, then the key name is the path.
- If the path is a relative path (e.g. “**EventMacro_OnApplicationStarted.mmbas**”), it is converted to an absolute path relative to the default macro folder for the user (e.g. “**C:\Documents and Settings\username\Local Settings\Application Data\Mindjet\MindManager\20\macros**”).

If the “Event Macros” key is not in the registry, then the application looks for event macros in the default macro folder (see above) with a name of the form:

```
EventMacro_<EventName>.mmbas
```

For example:

```
EventMacro_OnApplicationStarted.mmbas
```




Therefore, it is possible to get macro events to run a macro simply by putting macros with the proper name in the user's macro folder. However, for most typical IT uses, the "Event Macros" key will be used, since this can point to macros on a network drive, for example.

For example, this "EventMacro_OnApplicationStarted.mmbas" macro uses the Outlook object model to send a notification email:

```
'#Uses "EventMacro_Uilities.mmbas"
Sub Main
    SendNotificationEmail "MindManager event: Application Started"
End Sub
```

Where the "EventMacro_Uilities.mmbas" file contains:

```
' Utilities for use with MindManager event macros
Public Sub SendNotificationEmail(eventString As String)
    ' Sends the subject string to the appropriate IT person
    ' to notify them of the MindManager event that just occurred

    ' Get access to our email program
    Dim outlookApp As Outlook.Application
    Set outlookApp = New Outlook.Application
    ' Create a message
    Dim message As Outlook.MailItem
    Set message = outlookApp.CreateItem(olMailItem)
    message.To = "System Administrator"
    message.Subject = eventString
    message.Body = eventString

    ' Send the message
    message.Send
End Sub
```

MindManager Linker for SharePoint

MindManager Linker for SharePoint supports an optional silent argument for deploying a SharePoint SITECONNECTIONFILE as a way to pre-populate custom SharePoint connections.

Optional silent install argument:

```
SITECONNECTIONFILE=full_path_to_custom_site_connection_file
```


This file can have any name but must be reachable from install-to machine. The file is copied to "SiteConnections.xml" in the SharePoint Linker INSTALLDIR.



Note: This argument will have no operational effect when the application runs if the SharePoint Add-In is not active.

Proxy Server Support

The application supports proxy server connections to the internet, including overriding default Microsoft Internet Explorer settings.



Primary path:

1. Select Proxy Settings from MindManager→File→Options.
2. Choose Auto-detect/Use system proxy settings (e.g. set by system or w/in IE) or Manual proxy configuration (no proxy, https).
3. Set proxy settings for manual proxy configuration.

Alternate path:

1. System administrator sets proxy settings (Host & Port) for Large-Scale Deployment.
2. When installed, MindManager options are configured based upon on System Administrator user's configuration.
3. System Administrator has an option to hide the ability to remember Username and Password for the HTTPS proxy settings.



Impacted areas:

- * Online (Files) -, Sign in/out, and Tasks.
- * Notifications; Creating/deleting files; folders, Co-editing and Sharing.
- * Trial display messages emanating from Mindjet servers.
- * Tasks
- * Connection – sign in/sign out
- * Check for updates
- * All the web services Map Parts
- * SharePoint Add-in
- * Database linker
- * *To use MindManager with Microsoft SharePoint, you must purchase and install MindManager Enterprise.*

The registry settings are as follows:

HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\Settings\ProxyType = 0 (no proxy) -
DWORD type

1 = Use default windows settings

2 = Use custom proxy settings

In case your proxy type is set to custom, you can set a custom proxy as follows:

HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\Settings\ProxyHost = host name -
STRING

HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\Settings\ProxyPort = port name -
DWORD

HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\Settings\ProxyAuthenticationRequired -
DWORD (can be 0 or 1)

HKEY_LOCAL_MACHINE\SOFTWARE\Mindjet\MindManager\21\Settings\ProxySaveCredentials -
DWORD (can be 0 or 1) - is used to save proxy credentials across application sessions

Enabling or Disabling “Treat UNC Paths as SharePoint Servers”

When enabled, **Treat UNC Paths as SharePoint Servers** checks to a map is being opened from a SharePoint server; if so, MindManager offers options for document check-out and check-in in the files > Info menu. This feature can cause a slight delay on opening documents, so it is disabled by default.



Administrators can enable it via the registry or from the command line; users can enable it using MindManager's Options.

To enable from the command line

COMMAND	ACTION
<code>ENABLEUNC_PATH_CU="0"</code>	Disable for the Current User running the installation
<code>ENABLEUNC_PATH_CU="1"</code>	Enable for the Current User running the installation
<code>ENABLEUNC_PATH_LM="0"</code>	Disable for Local Machine
<code>ENABLEUNC_PATH_LM="1"</code>	Enable for Local Machine

To enable from via the registry

Table 20: HKEY_CURRENT_USER Settings

VALUE NAME	TYPE	VALUE DATA
<code>EnableUncPathDmsSupport</code>	REG_DWORD	0 to disable 1 to enable

Table 21: HKEY_LOCAL_MACHINE Registration Values

VALUE NAME	TYPE	VALUE DATA
<code>EnableUncPathDmsSupport</code>	REG_DWORD	0 to disable 1 to enable

To enable from MindManager

In the File tab, under Options > Open & Save, click the box next to Treat UNC paths as SharePoint Servers.



The material in this document is for informational purposes only and is subject to change without notice. While reasonable efforts have been made in the preparation of this document to assure its accuracy, Mindjet makes no representation or warranty expressed, implied, or statutory, as to its completeness, accuracy, or suitability, and assumes no liability from the use of the information contained herein.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by patent, copyright, trademark, and other intellectual property laws. Except as expressly provided in any written license agreement from Mindjet, the furnishing of this document does not give you any license to these patents, copyrights, trademarks, or other intellectual property.

Mindjet, MindManager, and the Mindjet and MindManager logos are trademarks of Mindjet, which may be registered in the U.S. and other countries. Microsoft and SharePoint are registered trademarks of Microsoft Corporation in the United States and other countries.

Mindjet, MindManager, and the Mindjet and MindManager logos are trademarks of Mindjet, which may be registered in the U.S. and other countries. Microsoft, SharePoint, and Windows are registered trademarks of Microsoft Corporation in the United States and other countries. IBM is a trademark of International Business Machines Corporation registered in the US and other countries. Adobe Flash and Adobe Acrobat are registered trademarks of Adobe Systems Incorporated in the United States and other countries.

© 2020 Corel Corporation. All rights reserved.